

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
)	
Hubert METZNER et al.)	Group Art Unit: 1654
)	
Application No.: 09/809,021)	Examiner: Michael V. Meller
)	
Filed: March 16, 2001)	
)	
For: THROMBIN PREPARATIONS)	Confirmation No.: 5147
AND PROCESS FOR THEIR)	
PRODUCTION)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

SUBMISSION OF DUPLICATE COPY OF ORIGINAL SPECIFICATION AND CLAIMS

In response to a request today by the Examiner, Applicants submit a duplicate copy of the specification, including claims, as originally filed on March 16, 2001.

According to the Examiner, this submission is required as the Office's scanned copy of the original application, which was made after the filing of the application, is light and thus is in certain locations is difficult to read.

As this submission is made merely to assist the Office in publishing the patent, and presents only the application text as originally filed, it does not present new matter.

Application No. 09/809,021
Attorney Docket No. 06478.1452-00

Please grant any extensions of time required to enter this response and charge any required fees not found attached hereto to deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: October 23, 2007

By: Angela K. Murphy Reg # 59,387
Elizabeth A. Doherty
Reg. No. 50,894 for